



Shop Order

Dealer: ETR Vehicles  
 Jerry Michaluk  
 407- 339-6737

Florida Sheriffs Association  
 SPECIFICATION #4 TYPE III 4X2  
 FORD XL E-450

Exp. Date: 12/12/2008  
 Quote No: 10037-0001 Job/Order No: E450-FS-09

GENERAL: GEN\_INFO 3 \*\*\*\*\*BID STANDARDS\*\*\*\*\*  
 CHASSIS: E-450-158\_ \*\*\*E-450 DRW Cut-away CHASSIS(154/164)\*\*  
 CONVERSION: 16495-T3 164-172 x 95 Module Body, BASE CONFIG  
 BASE: 16495-T3B 164-172 x 95 T-3 Base Price

08/18/2010

Page 1

| PART NO  | S | DESCRIPTION  | QTY |
|--|---|--|-----|
| == *****BID STANDARDS***** - 0.000 ==                  |   |  | 1   |
| 00-10-0015   |   | Vehicle Quantity (Vehicles)                                | 1   |
| 00-91-0002   |   | BODY NUMBER:   | 1   |
| 00-91-0003   |   | CHASSIS VIN NUMBER:  | 1   |
| 00-91-0022   |   | ACCOUNT MANAGER: Greg Windberg                             | 1   |
| 00-91-0040   |   | SEAT BELT POSITIONS MODS                                   | 1   |
| 00-91-0042   |   | -- CAB SEAT BELT MOD:                                      | 1   |
| 00-91-0044   |   | -- Total: 2 Positions                                      | 1   |
| 00-91-0050   |   | -- REAR SEAT BELT MOD:                                     | 1   |
| 00-91-0053   |   | -- Total: FILL IN NUMBER OF POSITIONS                      | 1   |
| 00-99-9000   |   | Revision Level: 0 - Zero - ORIGINAL VERSION                | 1   |
| == ***E-450 DRW Cut-away CHASSIS(154/164)** - 0.000 == |   |  | 1   |
| 01-3F-0000   |   | Type III Cut-a-way, Modular Ambulance                      | 1   |
| 01-AF-3F45   | S | 2011 Ford, E-450 DRW Cut-away, 158", Hi Trim, Gas          | 1   |
| 01-3F-0040   |   | -- Engine: 6.8 Triton V10 Gas                              | 1   |
| 01-3F-00BK   |   | -- Engine Block Heater: OEM - Gas                          | 1   |
| See Shore Line System for wiring instructions.         |   |  |     |
| 01-3F-01PR   |   | -- GVWR: 14,500 pounds, FAWR: 5,000, RAWR: 9,500           | 1   |
| 01-3F-02PR   |   | -- Cab Interior Color: Gray                                | 1   |
| 01-FM-16B0   |   | -- Cab Floor: Rubber Mat, E-series Ford                    | 1   |
| 01-FM-CT01   |   | -- Tilt Steering Wheel w/ Speed Control                    | 1   |
| 01-FM-DL05   |   | -- Cab Door Locks: Power                                   | 1   |
| 01-FM-DTRL   |   | -- Daytime Running Lights: Ford OEM                        | 1   |
| 01-FM-EWH1   |   | -- Wheel Simulators: Phoenix, Polished S/S                 | 1   |
| 01-FM-TI08   |   | -- Tire, SPARE: All season, Random Make LT225/75 R16, LR E | 1   |
| 01-FM-TI01   |   | -- Location: Shipped Loose                                 | 1   |
| 01-TU-0100   |   | -- Jack and Tire Tools: None                               | 1   |

| PART NO    | S | DESCRIPTION  | QTY |
|------------|---|--|-----|
| 01-OE-47B0 |   | -- 47A - Ambulance Prep Package - E-Series Gas   | 1   |
| 01-OE-47B1 |   | -- Alternator: OEM, Single, 225Amp Motorcraft  | 1   |
| 01-OE-47B8 |   | -- Throttle: InPower ETM52-QVM High Idle for Gas   | 1   |
|            |   | Eng temp must be minimum of 140 deg F before it will activate.   |     |
| 01-RR-05A4 |   | -- Radio, Ford E-series: AM/FM/CD OEM w/ 2 cab speakers  | 1   |
| 01-ST-0100 |   | -- Straps, Cab Doors, Pair, NONE   | 1   |
| 03-EA-43PR |   | -- Side Mirrors, OEM Black Telescope   | 1   |
| 01-FL-SM17 |   | -- Mirrors, Convex Additional to OEM: None   | 1   |
| ZZ-ZZ-ZZZZ |   |  | 1   |
|            |   | == 164-172 x 95 Module Body, BASE CONFIG - 0.000 ==  | 1   |
| 01-TP-0010 |   | Tire Pressure Monitoring System: None  | 1   |
|            |   | BODY   | 1   |
| 02-ZZ-9999 |   | -- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4"<br>Unless specified as a minimum dimension. | 1   |
| 02-B8-3F64 |   | Body, Module: Cut-away, 164" x 95" x 68" Interior Head Room  | 1   |
| 02-00-0008 |   | -- Headroom: 68" Finished Interior   | 1   |
| 02-00-0010 |   | --   | 1   |
| 02-B0-09B0 |   | -- Compt Door Check : Double Action Gas Shock  | 1   |
| 04-EA-09B1 |   | -- Door Swing Angle: Set just over 90 degrees  | 1   |
| 02-B0-3F2E |   | -- Cab Extension: 10-inch - allows full OEM seat travel + 4"   | 1   |
| 02-B0-CC10 |   | -- <b>Compartment Ventilation - Below Floor Style</b>  | 1   |
|            |   | Sides and Back: .080 Polished Aluminum Diamond Plate   |     |
|            |   | Compartment Bottom: .125 Aluminum Sheet  |     |
|            |   | Compartment Ceiling: .090 Aluminum Sheet   |     |
| 02-B0-CE03 |   | -- Curb side Entry Door (CSE): 73.8 High x 31 Wide - 164   | 1   |
| 02-B0-09B2 |   | -- Compt Door Check : Double Action Gas Shock  | 1   |
| 04-EA-09B1 |   | -- Door Swing Angle: Set just over 90 degrees  | 1   |
| 02-B1-SW64 |   | -- Step Well, C.S. Entry Door, 1-Step Diamond Plate  | 1   |
| 05-IL-09SW |   | -- Light, Step Well: 3" Weldon, White,   | 1   |
|            |   | Weldon No 3-8025-1400-3T. Light shall come on with CS door only.   |     |
| 02-B1-M164 |   | -- M-1 Compt (LF): 68 HR 75.8" H x 18.6" W x 19.4" D   | 1   |
| 02-BC-10A5 |   | -- Compartment Door: SINGLE DOOR, 2-point Latch  | 1   |
| 05-EL-40M1 |   | -- Light, Compt, M-1 (LF): Intertek Model No ZY-156-921  | 1   |
| 08-B1-02LI |   | -- Prep for 02 Lift: NONE  | 1   |
| 02-B1-M264 |   | -- M-2 Compt (LFM): 31.5" H x 44.5" W x 19.4" D  | 1   |
| 02-B1-BIO1 |   | -- Bio-Waste: Diamond Plate Closeout for Bio in A/A  | 1   |
|            |   | Dogleg for interior access bio-waste.  |     |
|            |   | 14" W x 13"H and cmpt depth less 2".   |     |
| 04-TS-11D1 |   | -- Shelf, Fixed, Ext: .125 Aluminum, 2" Upward Lips (Std)  | 1   |
| 02-BC-10D0 |   | -- Doors, Compartment, DOUBLE DOORS (std)  | 1   |
| 04-TS-11D3 |   | -- Shelf, Adjustable, Ext: .125 Alum, 2" Upward lip  | 1   |
| 05-EL-40M2 |   | -- Light, Compt, M-2 (LFM): Intertek Model No ZY-156-921   | 1   |
| 06-RR-13Z0 |   | -- Standard Conduit: 1-1/2", with pull wire  | 1   |
| 06-RR-13O4 |   | -- CONDUIT ORIGINATION POINT: M-2 compartment  | 1   |
| 06-RR-13T3 |   | -- CONDUIT TERMINATION POINT: Behind A/A Board (Panel)   | 1   |
| 02-B1-M364 |   | -- M-3 Compt (LR): 31.5" H x 30.1" W x 11" D   | 1   |
| 02-BC-10A0 |   | -- Compartment Door: SINGLE DOOR, 1-point Latch  | 1   |
| 05-EL-40M3 |   | -- Light, Compt, M-3 (LR): Intertek Model No ZY-156-921  | 1   |
| 02-B1-M564 |   | -- M-5 Compt (RR): 68 HR, 75.8" H x 17.6" W x 21" D  | 1   |
| 02-BC-10A5 |   | -- Compartment Door: SINGLE DOOR, 2-point Latch  | 1   |
| 04-TS-17M5 |   | -- Dividers, Adj: (1) 14x60 H, (1) 14x30 H, Opt #2   | 1   |
| 04-TS-1001 |   | -- Divider Material: .125 Aluminum Sheet   | 1   |
| 04-TS-STR1 |   | -- Strap: 2" Webb, w/quick release buckle.   | 1   |
| 04-TS-STR2 |   | -- 2" Footman Loops: Locate back from jamb   | 1   |
| 05-EL-40M5 |   | -- Light, Compt, M-5 (RR): 4" Flush, T/L No 40003  | 1   |

| PART NO    | S | DESCRIPTION   | QTY |
|------------|---|---|-----|
| 02-B1-M664 |   | -- M-6 Compt (RRFwd): 17.2" H x 13.5" W x 19.4" D   | 1   |
| 02-BC-10A0 |   | -- Compartment Door: SINGLE DOOR, 1-point Latch   | 1   |
| 05-EL-40M6 |   | -- Light, Compt, M-6 (RRF): Intertek Model No ZY-156-921  | 1   |
| 02-B1-M768 |   | -- M-7 Compt (RF): 42.6" H x 25.25" W x I/O   | 1   |
| 02-BC-10A0 |   | -- Compartment Door: SINGLE DOOR, 1-point Latch   | 1   |
| 05-EL-40M7 |   | -- Light, Compt, M-7 (RF): NONE   | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 02-B1-M866 |   | -- M-8 Dwr (RF): Batt, 164, 12.1" H x 25.25" W x 21.4" D  | 1   |
| 02-BC-10E0 |   | -- Drawer Front: 2-point latch  | 1   |
| 05-ZZ-ZZZZ |   | --  | 1   |
| 02-B1-RA01 |   | -- Rear Access Doors: 46 3/4" Wide x 56 5/8" High   | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
|            |   | WELDING - Station No 1  | 1   |
| 04-AS-06A0 |   | Fuel Fill: CPI C1045, Open Housing, Polished Bezel - (Std)  | 1   |
| 04-BP-F364 |   | BODY PROTECTION AND TRIM PACKAGE: E-Series 154 & 164  | 1   |
| 04-BW-7A95 |   | -- Bumper, Rear: HD Alum Framed w/DP pontoon cvrs   | 1   |
| 04-BW-FLIP |   | -- Step, Center: 2" x 7" Grip strut, flip-up  | 1   |
| 04-BW-AF19 |   | -- Fenders, Rear: Polished Aluminum   | 1   |
| 04-BW-DP01 |   | -- Skirt Rails: Polished Aluminum Diamond Plate   | 1   |
| 04-BW-DP02 |   | -- Corner Caps: 17.3" High, Alum Diamond Plate  | 1   |
| 04-BW-DP03 |   | -- Front Stone Guards: 17.3" High, Alum Diamond Plate   | 1   |
| 04-BW-DP14 |   | -- Rear Kick Plate: Polished Aluminum Diamond Plate   | 1   |
| 04-BW-TA03 |   | -- Recessed Tag Area: Polished Aluminum Diamond Plate   | 1   |
| 04-BW-TA04 |   | -- Location: Centered in the kick plate   | 1   |
| 04-EA-09A0 |   | (2) Rear Door Hold Opens: Grabber Style, each door  | 1   |
| 04-ZZ-ZZZZ |   | --  | 1   |
| 04-EA-1399 |   | Running Boards: NONE  | 1   |
| 04-EA-1122 |   | -- Mud Flaps Front: Modular, Rubber   | 1   |
| 04-EA-1132 |   | -- Mud Flaps Rear: Modular, Rubber  | 1   |
|            |   | EXT LIGHTING / AC / INSULATION - Station No 2   | 1   |
| 05-EL-18ST |   | DOT Light Pkg: Weldon ICC (Side Marker w/Tail Lights)   | 1   |
| 05-EL-18FR |   | -- Front ICC Lts: (5) AMBER Weldon LED No 9186-1500A<br>Switch w/ Headlights.   | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 05-EL-18RE |   | -- Rear ICC Lts: (5) RED Weldon LED No 9186-1500R<br>Switch w/ Headlights   | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 05-EL-42ST |   | Tail Lights: Bargman  | 1   |
| 05-EL-44MK |   | -- Side Marker Lts:(2)Trklite #18300R-Wire to Turn Sw,Headlight<br>Marker light will come on with head lights and flash alternately with turn signal. | 1   |
| 05-ZZ-ZZZZ |   | --  | 1   |
| 05-EL-43ST |   | Third (3rd) Brake Light: Sierra Model 403BE2-7C77<br>LOCATION: Over Rear Access Doors.  | 1   |
| 05-EL-4590 |   | SCENE/FLOOD LIGHTS (100 Series)   | 1   |
| 05-EL-45L9 |   | -- Left Scene Lights: (2) Whelen 900, Degree,   | 1   |
| 05-EL-0203 |   | -- Flanges: (2) Chrome for above Scene lights   | 1   |
| 06-EL-18LF |   | -- Activate: Left Flood Switch  | 1   |
| 05-EL-45T9 |   | -- Right Scene Lights: (2) Whelen 900, Degree,  | 1   |
| 05-EL-0203 |   | -- Flanges: (2) Chrome for above Scene lights   | 1   |
| 06-EL-18RT |   | -- Activate: Right Flood Switch and open CSE Door   | 1   |
| 05-EL-46R9 |   | -- Rear Load Lights: (2) Whelen 900, Degree   | 1   |
| 05-EL-0204 |   | -- Flanges: (2) Chrome for above Rear load lights   | 1   |
| 06-EL-18RE |   | -- Activate: Rear Flood Switch, Reverse and Lead RA Door  | 1   |
| 05-HA-0000 |   | HEAT AND AC   | 1   |
| 05-HA-1402 |   | AC Evap: ACC HVAC Ducted in Ceiling (AC Heat Unit) - Vert<br>Mounted Behind the Attendant Seat Base   | 1   |

| PART NO    | S | DESCRIPTION   | QTY |
|------------|---|---|-----|
| 05-HA-1099 |   | -- AC Evaporator Location: Behind Attendant Seat on the floor   | 1   |
| 05-HA-1403 |   | -- AC Hoses: Pre-charged, GoodYear Galaxy   | 1   |
| 05-HA-1404 |   | -- Heater Hoses: EPDM - Nomex Rubber (per Ford QVM)   | 1   |
| 05-HA-14A0 |   | -- GRILLE, Return Air: Stamped Powder Coated Steel  | 1   |
| 05-HA-14B1 |   | -- Filter, Washable Carbon Pre-Filter   | 1   |
| 05-HA-14C0 |   | -- AC COMPRESSOR: Tee into O.E.M.   | 1   |
| 05-HA-15A0 |   | -- Ducted AC Delivery: insulated & foil wrapped, 10 registers   | 1   |
| 10-HA-02ST |   | -- AC Control: Heat or AC and Fan Speed selector switches   | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 05-HZ-ZZZZ |   | --  | 1   |
| 05-IL-0001 |   | CEILING PANELS : Gloss Mica over 1/4" hard plywood  | 1   |
| 05-IL-0135 |   | -- <b>Dome Lts, LED K02: Kinequip, (4) Streetside, (4) Curbside</b>   | 7   |
| 09-MH-08A1 |   | -- IV Hook No 1: Hook 07 w/ Velcro bag stabilizer - STD   | 1   |
| 09-MH-08P1 |   | -- LOCATION: Over head/chest area, primary patient on COT   | 1   |
| 09-MH-08A2 |   | -- IV Hook No 2: Hook 07 w/ Velcro bag stabilizer - STD   | 1   |
| 09-MH-08P2 |   | -- LOCATION: Over head/chest area, secondary patient on S/B   | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 09-MH-2ACT |   | -- Recessed Curbside Grab Rail, ceiling: 1.25 Dia C/S, 3 pt, 72   | 1   |
| 09-MH-2ASS |   | -- Streetside Grab Rail: None   | 1   |
| 05-IN-0STD |   | Insulation PKG:   | 1   |
| 05-IN-1STD |   | -- Insulation: Circumferential PKG, Reflective w/ Air cell core   | 1   |
| 05-IN-3STE |   | -- Insulation: Entry Door, Reflective w/ Air cell core  | 1   |
| 05-IN-4STD |   | -- Insulation PKG Floor: Reflective   | 1   |
| 05-IN-5STE |   | -- Insulation: Walls/Ceiling, Reflective w/ Air cell core   | 1   |
|            |   | LIGHTBAR(S)   | 1   |
| 05-PA-LB0A |   | Front Light Bar: NONE   | 1   |
| 05-PA-LB0B |   | Rear Light Bar: NONE  | 1   |
| 05-SY-LTHE |   | HALOGEN WARNING LIGHT SYSTEM - E-series Ltd   | 1   |
| 05-FS-1000 |   | -- Halogen Flasher: Weldon 7301   | 1   |
| 05-FS-10P2 |   | -- Flash Pattern: KKK-A-1822  | 1   |
| 06-SW-PS01 |   | -- Warning Light SWITCH: ctr console, Primary / Secondary   | 1   |
| 05-PH-LS04 |   | -- Flange Package: All 9x7 Warning Lights   | 1   |
| 05-PH-LT06 |   | -- (2) Grille Lights: Whelen TIRLIN3, LED, Chrome Hsg   | 1   |
| 05-PH-LA01 |   | -- Red LED  | 1   |
| 05-PL-LX00 |   | -- Lens Color for Above Super LED Light to be: Clear  | 1   |
| 05-PH-LT20 |   | -- (2) Front Intersection Lights: Whelen 700, HALOGEN   | 1   |
| 05-LB-01L1 |   | -- Lens Colors: Red   | 1   |
| 05-PH-LT09 |   | -- Flange: 700-FLANGE for intersection lights above   | 1   |
| 05-PH-LT30 |   | -- (1) Center Front CLEAR Warning Light: Whelen 900, HALOGEN  | 1   |
| 05-PH-LT40 |   | -- (2) Front RED Warning Lights: Whelen 900, HALOGEN  | 1   |
| 05-PH-LT50 |   | -- (4) Side RED Warning Lights: Whelen 900, HALOGEN   | 1   |
| 05-PH-LT60 |   | -- (2) Rear RED Warning Lights: Whelen 900, HALOGEN   | 1   |
| 05-PH-LT6A |   | -- Location: REAR, (1) in EACH Upper outer corner.  | 1   |
| 05-PH-LT63 |   | -- (2) Additional Rear RED Warning Lights: None   | 1   |
| 05-PH-LT70 |   | -- (1) Rear Center AMBER Warning Light: Whelen 600, HALOGEN   | 1   |
| 05-PH-LT08 |   | -- Flange: 600-FLANGE for center amber light above  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
|            |   | ELECTRICAL - Station No 3   | 1   |
| 06-AL-47SU |   | Hand Held Spot Light: None<br>Not Require by KKK-F  | 1   |
| 06-BA-3F01 |   | Batteries: 2 - Battery System - E-series Only   | 1   |
| 06-BA-3FA2 |   | -- Battery Make: (2) Motorcraft-OEM / 750 CCA / 65 AHR<br>Batteries MUST be Motorcraft.   | 1   |
| 06-BA-3FL1 |   | -- Battery Location: (F3) Relocate ALL Batteries to compt. M-8  | 1   |
| 06-BA-3FW4 |   | -- Batteries Wired: Parallel for higher amperage  | 1   |
| 06-BA-Q630 |   | Battery Switch: Cole Hersee 2484-16 Paddle, T3 Dvr seat base<br>Cole Hersee Paddle style battery switch powers up and shuts down the CONVERSION only!<br>Chassis related circuits shall remain wired in the O.E.M. configuration per Ford QVM Bulletin No 63. | 1   |

| PART NO               | S | DESCRIPTION  | QTY |
|-----------------------|---|--|-----|
|                       |   | LOCATION: Side of drivers' seat base.<br>With Face Plate LABEL   |     |
| 06-EC-3507            |   | Circuit Board: RMR Rail System, W/ LED Diag - F3   | 1   |
| 06-EC-CB03            |   | - Circuit Protection, 12V: Blade Breaker - Manual-reset  | 1   |
| 06-FS-1101            |   | - Sequencer/Load manager: NONE   | 1   |
| 06-RR-23F1            |   | - Ind Light Flasher: Thru 14S Flasher Unit   | 1   |
| 06-RR-F301            |   | - CONSOLE, Engine Cover: 2-level Roto-molded ABS   | 1   |
| 06-RR-2301            |   | - F3 SWITCH PANEL: 2-Level ABS Console   | 1   |
| 06-00-0001            |   | -  | 1   |
| 06-MC-0799            |   | - CHARGING SYSTEM GAUGE PACKAGE: None Required   | 1   |
| 06-RR-23A1            |   | - Engraved LOGO: AEV TraumaHawk  | 1   |
| 06-RR-23I1            |   | - Indicator Light: AMBER Compt Open" light   | 1   |
| 06-RR-23I2            |   | - Flashing light: Activate w/ ANY compt door switch.   | 1   |
| 06-RR-23I3            |   | - Indicator Light: GREEN "Amb Pwr" light   | 1   |
| 06-RR-23I4            |   | - Steady burn light: Activate with Conversion pwr switch   | 1   |
| 06-RR-23I5            |   | - Indicator Light: RED "Door Ajar" light   | 1   |
| 06-RR-23I6            |   | - Flashing light: Activate w/ ANY Mod entry door switch.   | 1   |
| 06-RR-23J3            |   | - Door/Compartment Ajar Buzzer: None   | 1   |
| <del>ZZ-ZZ-ZZZZ</del> |   | -  | 1   |
| 06-RR-F311            |   | - Fasteners: Black finish screws into engine cover   | 1   |
| <del>07-ZZ-ZZZZ</del> |   | -  | 1   |
| 06-EC-4300            |   | Back-up Alarm: Standard  | 1   |
| 06-EC-43B0            |   | - Cut Off Switch: Auto reset ,momentary style  | 1   |
| 06-EC-GR01            |   | Ground Straps, Module to Frame: (Qty 4) Braided<br>Grind/Clean each ground site on the O.E.M. frame to bare steel.<br>Use 3/8" - UNC x 1, 1/2", Grade 8 hex head bolts, Nuts, and external tooth lock washers.<br>Tighten to minimum 20 Ft/Lb. | 1   |
| 06-IG-0001            |   | INVERTER : NONE<br>NO Prewire.   | 1   |
| 06-EC-0040            |   | - Battery Charger, IOTA, 15A (KKK-F Requirement)   | 1   |
| 06-EC-03AH            |   | - Portable Equip Charging Circuits: 10A, Pos and Neg   | 1   |
| 06-EC-03AA            |   | - PREWIRE LOCATION: (1)Behind Pass Seat, (1) Behind A/A  | 1   |
| 06-EC-03C8            |   | - Portable Equip Pwr Source: Ignition and/or Converter<br>Reference 3.7.7.2 and Figure 7 in KKK-A-1822E  | 1   |
| 06-EC-1998            |   | - Converter : 15A IOTA, 125VAC to 15A @ 12 VDC   | 1   |
| 06-EC-1414            |   | - Location: M-2 Compartment  | 1   |
| 06-EC-21A2            |   | - Converter to power: Equipment Prewire Only   | 1   |
| 06-MC-0900            |   | Low Voltage Indicator: Amber with Buzzer   | 1   |
| 06-RR-0000            |   | COMMUNICATION RADIO(S) RELATED   | 1   |
| 06-00-0001            |   | -  | 1   |
| 06-EC-03A0            |   | - Radio Power No 1: 30A, Pos and Neg, 10 awg Wires   | 1   |
| 06-EC-03B0            |   | - Radio Power Source: Battery Switch Hot   | 1   |
| 06-EC-03G0            |   | - LOCATION: Behind Passenger's Seat  | 1   |
| 06-EC-03A2            |   | - Radio Power No 2: 30A, Pos and Neg, 10 awg Wires   | 1   |
| 06-EC-03B0            |   | - Radio Power Source: Battery Switch Hot   | 1   |
| 06-EC-03E0            |   | - LOCATION: Behind Action Area Board   | 1   |
| 06-RR-0100            |   | - Coaxial Cable, No 1: Type RG-58U, No connectors  | 1   |
| 06-RR-01O1            |   | - ORIGINATION POINT: Roof Port No 1<br>Roof Port No 1 is located 36" back from the front edge of the module roof AND centered side to side.  | 1   |
| 06-RR-01P0            |   | - Port Plate: None - Access thru center upholstery panel   | 1   |
| 06-RR-01T1            |   | - TERMINATION POINT: Behind Passenger's seat w/ 36" Tail   | 1   |
| <del>ZZ-ZZ-ZZZZ</del> |   | -  | 1   |
| 06-SO-0000            |   | 125V SHORE LINE AND OUTLETS  | 1   |

| PART NO    | S | DESCRIPTION   | QTY |
|------------|---|---|-----|
| 06-00-0001 |   | --  | 1   |
| 06-SO-0100 |   | -- Shore Line Inlet: 15A Straight blade w/ Ground - STD   | 1   |
| 06-SO-00L1 |   | -- Inlet LOCATION: Aft of Left Front compartment  | 1   |
| 06-SO-0201 |   | -- Block Heater: Separate O.E.M. Plug - NOT wired thru SL   | 1   |
| 06-SO-1400 |   | -- **125 Volt OUTLETS**   | 1   |
| 06-SO-1401 |   | -- <b>125 VAC Outlet, No 1: 15A, Hospital Grade, IVORY</b>  | 1   |
|            |   | All 115 VAC outlets shall be back lighted when power is applied to the outlet.                          |     |
| 06-SO-14L1 |   | -- <b>LOCATION: Action Area, standard location</b>  | 1   |
|            |   | Full Size Mod is on Wall #2 per drawing   |     |
| 06-SO-14O2 |   | -- Outlet mounting ORIENTATION: Vertical  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 06-SO-14O2 |   | -- 125 VAC Outlet, No 2: 15A, Hospital Grade, IVORY   | 1   |
| 06-SO-14L3 |   | -- LOCATION: RF ALS, (See Drawing)  | 1   |
| 06-SO-14O2 |   | -- Outlet mounting ORIENTATION: Vertical  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 06-SO-1100 |   | **INTERIOR 12 Volt OUTLETS**  | 1   |
| 06-SO-1101 |   | -- 12V Outlet, No 1: Cigar Style - Wire thru Med Isolator   | 1   |
| 06-SO-11L1 |   | -- <b>LOCATION: Action Area, standard location</b>  | 1   |
|            |   | Full Size Mod is on Wall #2 per drawing   |     |
| 06-SO-14O2 |   | -- Outlet mounting ORIENTATION: Vertical  | 1   |
| 06-SO-1910 |   | -- Power Source: Medical Isolator No 1, Ignition Hot  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 06-SO-1102 |   | -- 12V Outlet, No 2: Cigar Style - Wire thru Med Isolator   | 1   |
| 06-SO-11L1 |   | -- <b>LOCATION: Action Area, standard location</b>  | 1   |
|            |   | Full Size Mod is on Wall #2 per drawing   |     |
| 06-SO-14O2 |   | -- Outlet mounting ORIENTATION: Vertical  | 1   |
| 06-SO-1913 |   | -- Power Source: The SAME as outlet No 1  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 06-SS-0600 |   | <b>Siren: Whelen, WS295SLSA1, Standard E-Series</b>   | 1   |
| 06-SS-SA19 |   | -- Speaker, Grille, dual, (SA315EKT-Pair) ESeries   | 1   |
| 06-SS-SW01 |   | -- Siren / Horn Switch: In Cab Console  | 1   |
|            |   | This switch shall select horn ring output: Siren Functions OR O.E.M. Horn                               |     |
|            |   | CABINET SHOP - Modular  | 1   |
| 07-00-0001 |   | ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4"<br>Unless specified as a minimum dimension. | 1   |
| 07-00-BH01 |   | BULKHEAD PANELS: See Station 5<br>See Station 5 portion of shop order to find DOOR info.                | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 07-00-MC01 |   | Mica Color: Matt Gray   | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 07-00-PC02 |   | Polycarbonate Type/Color: Lexan - GRAY  | 1   |
| 07-00-PH01 |   | -- Polycarbonate Handles: Full Length Extruded  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 07-01-SE07 |   | Attendant Seat: Wise, Hi-back, 3-Point Seat   | 1   |
| 07-SE-0202 |   | -- <b>BASE: Metal, Mica Covered Base, Match Unit Interior</b>   | 1   |
|            |   | Metal Box covered with Mica to match patient interior.  |     |
| 07-DR-WC97 |   | -- Door, Single Solid Wood, Flush Fitted  | 1   |
| 07-CA-2100 |   | -- TRIM: U-shaped Door, J-trim opening  | 1   |

| PART NO    | S | DESCRIPTION   | QTY |
|------------|---|---|-----|
| 07-DR-OR02 |   | -- Hinge Orientation: BOTTOM                                | 1   |
| 07-HW-HIN1 |   | -- Hinge: 1 1/2" Stainless Steel Piano Hinge                | 1   |
| 07-HW-SO04 |   | -- Lever Latch: Locking - Black Finish                      | 1   |
| 07-ZZ-ZZZZ |   | --  | 1   |
| 11-SE-04A0 |   | -- Attendant Seat, Armrest: None                            | 1   |
| 07-AC-6401 |   | AC CABINET: Evaporator, Std Location Behind Att Seat        | 1   |
| 07-ZZ-ZZZZ |   | --  | 1   |
| 07-BH-6401 |   | Bulkhead Cabinet "J": Standard                              | 1   |
| 07-BH-6402 |   | -- Cabinet "J": Over Att Seat                               | 1   |
| 07-DR-LX24 |   | -- Door: Single Flip Up 3/8" Lexan                          | 1   |
| 07-HW-FH03 |   | -- Handle: "C" Handle W/ Reel Torque Hinges & Brass Grabber | 1   |
| 07-ZZ-ZZZZ |   | --  | 1   |
| 07-CA-03B0 |   | CURBSIDE UPPER: NONE  | 1   |
| 07-ZZ-ZZZZ |   | --  | 1   |
| 07-CA-04B0 |   | CURBSIDE REAR STORAGE CABINET: NONE                         | 1   |
| 07-ZZ-ZZZZ |   | --  | 1   |
| 07-LF-6401 |   | LF Cabinet, Behind Att Seat: Cabinet "H" (Elec Cab) , 164   | 1   |
| 07-CA-VEN7 |   | -- Plastic Vent: (2) Total, 1 column x 8 row, Vent 01       | 1   |
| 07-DR-WD26 |   | -- Door, Single Solid Wood, Flush                           | 1   |
| 07-CA-2100 |   | -- TRIM: U-shaped Door, J-trim opening                      | 1   |
| 07-DR-OR04 |   | -- Hinge Orientation: RIGHT                                 | 1   |
| 07-HW-SO06 |   | -- Lever Latch: Non-locking - Black Finish                  | 1   |
| 07-ZZ-ZZZZ |   | --  | 1   |
| 07-RF-6401 |   | RF ALS Cabinet: Standard                                    | 1   |
| 07-RF-I164 |   | -- Cabinet I-1: Standard                                    | 1   |
| 07-DR-LX24 |   | -- Door: Single Flip Up 3/8" Lexan                          | 1   |
| 07-HW-FH03 |   | -- Handle: "C" Handle W/ Reel Torque Hinges & Brass Grabber | 1   |
| 07-ZZ-ZZZZ |   | --  | 1   |
| 07-RF-I264 |   | -- Cabinet I-2: Standard                                    | 1   |
| 07-DR-WD13 |   | -- Doors: Dual Wooden Flush Fitted                          | 1   |
| 07-CA-2100 |   | -- TRIM: U-shaped Door, J-trim opening                      | 1   |
| 07-HW-CH03 |   | -- Handles: "C" Handle                                      | 1   |
| 07-HW-FH09 |   | -- Brass Grabbers; as needed on door(s).                    | 1   |
| 07-RA-IOA1 |   | -- Outside Access: Thru M-7 (RF) Compartment door.          | 1   |
| 07-RF-0001 |   | -- Interior MICA Color: White cabinet liner                 | 1   |
| 07-TS-1205 |   | -- Shelf Track: 1/2" Incremental, alum                      | 1   |
| 07-CA-08D0 |   | -- (2) Shelves: Adjustable with J-trim                      | 1   |
|            |   | TOP SURFACE FINISH: Easy Grip                               |     |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 07-RF-I268 |   | -- Cabinet I-3: Standard<br>15" Interior Height.            | 1   |
| 07-DR-WD25 |   | -- Door, Single Solid Wood, Flush - Drug Locker             | 1   |
| 07-CA-2100 |   | -- TRIM: U-shaped Door, J-trim opening                      | 1   |
| 07-DR-OR02 |   | -- Hinge Orientation: BOTTOM                                | 1   |
| 07-HW-SO04 |   | -- Lever Latch: Locking - Black Finish                      | 1   |
| 07-RA-IOA1 |   | -- Outside Access: Thru M-7 (RF) Compartment door.          | 1   |
| 07-RF-0001 |   | -- Interior MICA Color: White cabinet liner                 | 1   |
| 07-RR-0064 |   | RIGHT REAR CABINET: Cover over M-5 Compartment              | 1   |
| 07-ZZ-ZZZZ |   | --  | 1   |
| 07-SA-0000 |   |   | 1   |
| 07-SB-6401 |   | SQUAD BENCH: Standard                                       | 1   |
| 07-SB-0001 |   | -- See Upholstery Section for Post and Wheel Cup info       | 1   |
| 07-SB-1001 |   | -- Storage Under Lid - Configure to M-6 Compartment Size    | 1   |
| 07-SB-LID2 |   | -- Squad Bench Lids: Split - 2-section                      | 1   |
| 07-SB-LH01 |   | -- Hinge, Squad Bench Lid(s): 1 1/2" S/S Piano Hinge        | 1   |
| 07-SB-LH02 |   | -- Latch, Squad Bench Lid(s): Slam Action Paddle, Non-loc   | 1   |
| 07-SB-LH03 |   | -- Lid Checks: Gas shock, Dual Action                       | 1   |
| 07-TR-SB01 |   | -- Edge Trim, Lids: Band w/ Laminate and J-Trim Protection  | 1   |

| PART NO    | S | DESCRIPTION  | QTY |
|------------|---|--|-----|
| ZZ-ZZ-ZZZZ |   | --   | 1   |
| 08-MH-1400 |   | -- Restraint Net, 7 point detachable, at head of S/B, Mod<br>Seven (7) NET Attachment Points:<br>Black in color. | 1   |
| 08-ZZ-ZZZZ |   | --   | 1   |
| 07-TC-0000 |   |  | 1   |
| 07-TC-6401 |   | TOP CABINETS, - Standard 164 w/ 68" HR   | 1   |
| 07-TC-A644 |   | -- Cabinet A: Standard 164 (68" HR)  | 1   |
| 07-DR-LX24 |   | -- Door: Single Flip Up 3/8" Lexan   | 1   |
| 07-HW-FH03 |   | -- Handle: "C" Handle W/ Reel Torque Hinges & Brass Grabber  | 1   |
| 07-TC-B641 |   | -- Cabinet B: Ergonomically angled toward the CPR seat (68"HR)   | 1   |
| 07-CB-DRLX |   | -- Doors, Sliding Lexan, Mitered AL Assy: Standard   | 1   |
| 07-00-PH01 |   | -- Polycarbonate Handles: Full Length Extruded   | 1   |
| 07-ZZ-ZZZZ |   | --   | 1   |
| 07-WC-0000 |   |  | 1   |
| 07-WC-6401 |   | WALL CABINET: CPR Seat w/Telemetry   | 1   |
| 07-WC-AA01 |   | -- Action Area: Standard   | 1   |
| 07-WC-AA02 |   | -- A/A Tray: Color Keyed Mica with ABS BioWaste<br>Bemis Container Cont03B                                       | 1   |
| 07-WC-AABD |   | -- Action Area Board: See Station No 6 for content   | 1   |
| 07-ZZ-ZZZZ |   | --   | 1   |
| 07-WC-C641 |   | -- Cabinet C: Standard 164   | 1   |
| 07-CB-DRLX |   | -- Doors, Sliding Lexan, Mitered AL Assy: Standard   | 1   |
| 07-00-PH01 |   | -- Polycarbonate Handles: Full Length Extruded   | 1   |
| 07-RF-0007 |   | -- No Inside Access to Exterior Compartment  | 1   |
| 07-TS-12A1 |   | -- Shelf Track: 1/2" Incremental, alum (1incl)   | 1   |
| 07-CA-06A0 |   | -- (1) Shelf: Adjustable, Mica over wood, (Incl Std)   | 1   |
| 07-ZZ-ZZZZ |   | --   | 1   |
| 07-WC-D641 |   | -- Cabinet D: Ergonomically Angled Cabinet Over Tele. Area   | 1   |
| 07-CA-0600 |   | -- (1) Shelf: Adjustable mica over wood with L Trim  | 1   |
| 07-CB-DRLX |   | -- Doors, Sliding Lexan, Mitered AL Assy: Standard   | 1   |
| 07-00-PH01 |   | -- Polycarbonate Handles: Full Length Extruded   | 1   |
| 07-ZZ-ZZZZ |   | --   | 1   |
| 07-WC-E641 |   | -- Cabinet E: 164 Standard   | 1   |
| 07-CB-DRLX |   | -- Doors, Sliding Lexan, Mitered AL Assy: Standard   | 1   |
| 07-00-PH01 |   | -- Polycarbonate Handles: Full Length Extruded   | 1   |
| 07-RF-0007 |   | -- No Inside Access to Exterior Compartment  | 1   |
| 07-TS-12A1 |   | -- Shelf Track: 1/2" Incremental, alum (1incl)   | 1   |
| 07-CA-06A0 |   | -- (1) Shelf: Adjustable, Mica over wood, (Incl Std)   | 1   |
| 07-ZZ-ZZZZ |   | --   | 1   |
| 07-WC-F641 |   | -- Cabinet F: Standard   | 1   |
| 07-DR-TM01 |   | -- Door, Tambour Mica over Hi-density Masonite - up/down std<br>Horizontal Tambour Orientation - Slides Top      | 1   |
| 07-ZZ-ZZZZ |   | --   | 1   |
| 07-WC-SS01 |   | -- CPR Side Seat: 24" inch - Single Position - Standard  | 1   |
| 07-WC-BR01 |   | -- Back Rest: Fixed to Back Wall of CPR Seat w/clips   | 1   |
| ZZ-ZZ-ZZZZ |   | --   | 1   |
| 07-WC-TA02 |   | -- Telemetry Area: with armrest pad  | 1   |
| 07-WC-TC03 |   | -- Telemetry Area: Mica Finish, color keyed to interior<br>With 3/4" Lip   | 1   |
| ZZ-ZZ-ZZZZ |   | --   | 1   |
| 07-WC-O101 |   | -- Cabinet O1: Standard  | 1   |
| 07-CA-06A0 |   | -- (1) Shelf: Adjustable, Mica over wood, (Incl Std)   | 1   |
| 07-CB-DRLY |   | -- Door: Single Overlay Lexan Hinged Right   | 1   |
| 07-HW-FH03 |   | -- Handle: "C" Handle W/ Reel Torque Hinges & Brass Grabber  | 1   |
| 07-HW-CH03 |   | -- Handles: "C" Handle   | 1   |



| PART NO    | S | DESCRIPTION   | QTY |
|------------|---|---|-----|
| 07-HW-FH09 |   | -- Brass Grabbers; as needed on door(s).  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 08-SE-SB10 |   | -- P6 - 6-Point Restraint System - with CPR Seat  | 1   |
| 08-SE-SB20 |   | -- (2) on Squad Bench, (1) CPR Side Seat  | 1   |
| 08-SE-SB68 |   | -- Squad Bench: (0) seating positions for 2-point, LAP, ALR   | 1   |
| 08-SE-SB70 |   | -- <b>Squad Bench: (3) Secondary patient restraints - 9" Buckles</b>  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 07-ZZ-ZZZZ |   |   | 1   |
|            |   | CABINET SET - Station No 4 - MOD  | 1   |
| 08-00-FL10 |   | Flooring: Optima - Dark Gray  | 1   |
| 08-00-FL01 |   | -- Flooring Main Edge: 3" Recessed (1/2" deep) roll-up  | 1   |
| 08-AS-0001 |   | -- Stainless Rear Threshold, 6" Wide x Full Width at rear doors<br>Install safety yellow with diagonal stripes nonskid tape over threshold. | 1   |
| 08-ZZ-ZZZZ |   | --  | 1   |
| 08-CS-0001 |   | COT MOUNT HARDWARE: (Full Size Mod)   | 1   |
| 08-00-0001 |   | --  | 1   |
| 08-CR-0900 |   | -- Cot Mount : Stryker, No 6377, Dual Position, Floor Mount<br>Not Compatible with cots other than Stryker!                                 | 1   |
| 08-CS-00CM |   | -- Cot Position No 1: CENTER POSITION<br>Maintain 12" between Cot and S/B.  | 1   |
| 08-CS-3003 |   | -- Cot mount set up for: Stryker MX-pro   | 1   |
| 08-CS-00CP |   | -- Cot Location No 2: SIDE POSITION, Left of center   | 1   |
| 08-CS-3003 |   | -- Cot mount set up for: Stryker MX-pro   | 1   |
| 08-CS-19ST |   | -- Cot Stop, Block: NONE  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 08-CS-ZZZZ |   |   | 1   |
| 08-OS-04ST |   | OXYGEN / AIR / VACUUM System:   | 1   |
| 08-OS-0401 |   | -- Oxygen Outlet No 1: Amico Console - Ohio Diamond Style   | 1   |
| 08-OS-040A |   | -- LOCATION: Action Area  | 1   |
| 08-ZZ-ZZZZ |   | --  | 1   |
| 08-OS-0402 |   | -- Oxygen Outlet No 2: Amico Console - Ohio Diamond Style   | 1   |
| 08-OS-040A |   | -- LOCATION: Action Area  | 1   |
| 08-ZZ-ZZZZ |   | --  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 08-OS-13ST |   | -- Rack No 1: M/H cylinder, AEV, Aluminum w/ 2 straps<br>Stra-02036 Pull Straps   | 1   |
| 08-OS-11G1 |   | -- Cylinder Type: OXYGEN - Green Colored Hose<br>Regulator connection Nut: 9/16" RH thread.   | 1   |
| 08-OS-1301 |   | -- Rack Location: Left Front, wall #2 near wall #3  | 1   |
| 08-OS-1902 |   | -- Regulator Wrench: Cast aluminum, OXYGEN w/ cable lanyard   | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
| 08-OS-35ST |   | -- <b>Vacuum System: SSCOR regulator/gauge panel in A/A</b>   | 1   |
| 08-OS-3501 |   | -- Collection Canister: Bemis, 1200 CC Capacity<br>LOCATION: In Action Area, to the left of A/A console box.                                | 1   |
| 08-OS-3502 |   | -- VAC Plumbing: Direct from panel to canister - NO Outlet  | 1   |
| 08-OS-3503 |   | -- Vacuum Pump: Gast, 49 State  | 1   |
| 08-OS-35L4 |   | -- Location: M-2 Compartment  | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |
|            |   | TRIM / DOOR ASSEMBLY - Station No 5   | 1   |
| 09-00-0001 |   |   | 1   |
| 09-00-0002 |   | *****DOOR DEPARTMENT - Full Mod*****  | 1   |
| 02-BT-M850 |   | -- Handles, Exterior: Tri-mark 850 Series, Ch Handle/Blk Dish   | 1   |
| ZZ-ZZ-ZZZZ |   | --  | 1   |

| PART NO    | S | DESCRIPTION  | QTY |
|------------|---|--|-----|
| 09-B1-ED00 |   | Entry Door Panels, Windows and Hardware  | 1   |
| 08-MH-03B0 |   | - Grab Handle, CS Entry: 1 1/4" dia S/S, 2-pt 18"L   | 1   |
| 08-MH-03D0 |   | - Grab Handles, Rear Access: (2) 1 1/4" dia S/S, 2-pt  | 1   |
| 09-AS-2400 |   | - Door Panels: Diamond Plate / Upholstery / Diamond Plate  | 1   |
| 09-MH-2702 |   | - Grab Rail, C/S wall, curve out over C/S Entry, NONE  | 1   |
| 09-WI-02A0 |   | - UPPER Windows: RA Doors, Fixed Glass 17.3"W x 19.3"H (std)   | 1   |
| 09-WI-0600 |   | - UPPER Window: CS Access, Fixed Glass, std tint   | 1   |
| 09-DR-WT03 |   | Walk through Door: Slide behind drivers seat<br>Door Hardware: Extruded Aluminum Track - Top and Bottom.   | 1   |
|            |   | ELECTRICAL Point to Point - Station No 6   |     |
| 10-00-0001 |   |  | 1   |
| 10-IL-02ST |   | <b>Action Area Light: 12V, 16", Dual Bulb, Surface Mount</b>   | 1   |
| 10-IL-02L2 |   | - Light Location: Bottom of Cabinet B<br>Make sure the light does NOT interfere with the A/A panel swing down path.  | 1   |
|            |   | UPHOLSTERY - Station No 7  |     |
| 11-00-0001 |   |  | 1   |
| 11-00-UC01 |   | Upholstery Color: Dark Gray  | 1   |
| 11-00-UC11 |   | - Center Trough Upholstery Color: Color Key to Rest of Truck   | 1   |
| ZZ-ZZ-ZZZZ |   | -  | 1   |
| 11-00-UT01 |   | Upholstery Jointery Type: Minimized sewn seam - (Std Mod)  | 1   |
| 11-SB-0005 |   | Squad Bench seat cushion cut-outs: None  | 1   |
| 11-SB-0003 |   | - Post And Wheel Cups: NONE  | 1   |
| 11-SE-CSPD |   | Head Protection: Pad over CS Entry Door  | 1   |
| 11-SE-REPD |   | Head Protection: 2" Pad over Rear Access Doors, Full Width<br>PAINT - STRIPES - DECALS   | 1   |
| 12-00-0001 |   |  | 1   |
| 12-DC-0001 |   | Reflective Tape: On painted edges of Exterior Door Frame   | 1   |
| 12-PT-0100 |   | Primary (Over All) Color: Ford White (YZ)  | 1   |
| 12-00-0001 |   | -  | 1   |
| 12-PT-0122 |   | - Tape Belt Stripe: Reflective Tape  | 1   |
| 12-PT-0131 |   | - Tape Belt Width: 6"  | 1   |
| 12-PT-0141 |   | - Tape Belt Color: Reflective Orange   | 1   |
| 12-PT-0601 |   | - Belt <b>**NOT**</b> Across Hood  | 1   |
| ZZ-ZZ-ZZZZ |   | -  | 1   |
| 12-PT-RF01 |   | - Roof Paint: Color and finish quality to be GLOSSY<br>The roof shall be painted, with a glossy finish, but not sanded and buffed.   | 1   |
| ZZ-ZZ-ZZZZ |   | -  | 1   |
| 12-PT-1000 |   | Pin Stripe: NONE   | 1   |
| 12-ZZ-ZZZZ |   | -  | 1   |
| 12-PT-2000 |   | Lettering: NONE  | 1   |
| 12-ZZ-ZZZZ |   | -  | 1   |
| 12-PT-DRIP |   | Drip Rails: Bright Aluminum, De-burred and rounded corners<br>DETAIL - SHIP LOOSE ITEMS  | 1   |
| 13-00-0200 |   | - *Check front of W/O under chassis section for add'l items*   | 1   |
| 13-00-0001 |   |  | 1   |
| 13-KK-KDEC |   | Decals: KKK / D.O.T. Pkg, Blue/White reflective - Ship Loose   | 1   |
| 13-RF-STAS |   | - Decals: 32" Star of Life - Ship Loose  | 1   |
| ZZ-ZZ-ZZZZ |   | -  | 1   |
| 13-MH-05ST |   | Fire Extinguisher, 5 pound, shipped loose, Std   | 1   |
| 13-MH-10A0 |   | Reflector Pkg: Body - 2ea, Side Fr Amber, Side Re Red, Rear<br>Stick-on reflectors: Peterson "Spitfire" B484R and B484A<br>LOCATIONS: In lower corners of module<br>(2) - (1) each side and Front - AMBER<br>(2) - (1) each side and Rear - RED<br>(2) - On Rear of body - RED | 1   |
| ZZ-ZZ-ZZZZ |   | -  | 1   |

| PART NO               | S        | DESCRIPTION  | QTY |
|-----------------------|----------|--|-----|
| 13-MR-0000            |          | Convex Mirrors: None   | 1   |
| 13-OX-1700            |          | Regulator, Oxygen, Fixed output @ 50 psi, CGA 540  | 1   |
| 13-SB-0003            |          | Post And Wheel Cups: NONE  | 1   |
| 13-SP-TIRE            |          | Spare Tire: See Bottom of CHASSIS Section  | 1   |
| 34-XX-0001            |          | Primary Cot: NONE included   | 1   |
| <del>ZZ-ZZ-ZZZZ</del> |          | -  | 1   |
| 34-XX-0002            |          | Secondary Stretcher: NONE included   | 1   |
| <del>ZZ-ZZ-ZZZZ</del> |          | -  | 1   |
| 34-XX-5000            |          | Indemnification Statement<br>The purchaser agrees to defend, indemnify and hold AEV harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by any alteration or modification of, or changes or additions to the Purchased Products OR use of product for purposes it was not designed or intended for. | 1   |
|                       |          | <b>== 164-172 x 95 T-3 Base Price - 0.000 ==</b>   | 1   |
|                       |          | GENERAL CONVERSION   | 1   |
| 00-91-0032            |          | -- Delivery of Finished Unit to Dealer/Customer/Port: NONE   | 1   |
| 03-00-0001            |          |  | 1   |
| <b>03-CP-091R</b>     | <b>S</b> | <b>2011 **164** E-450 and CONVERSION PKG</b>   | 1   |
| <del>03-ZZ-ZZZZ</del> |          |  | 1   |
| 36-AA-0001            |          | WORK ORDER STATUS:   | 1   |
| 00-90-0301            |          | -- For Confirmation  | 1   |
| 00-90-0299            |          | -  | 1   |
| 36-CO-0001            |          | -- CHANGE ORDER POLICY   | 1   |
| 36-CO-0010            |          | -- After Confirmation, Prior to Final Prod Review<br>Change Fee is \$50 Per Item, Plus Option Cost   | 1   |
| 36-CO-0020            |          | -- After Confirmation, Prior to Eng Start, After Final Review<br>Change Fee is \$100 Per Item, Plus 150% Option Cost<br><br>Special order or non-stocking parts that are purchased for any ordered option that is subsequently deleted will be charged for and shipped loose.  | 1   |
| 36-CO-0030            |          | -- After Confirmation, Past Eng Start<br>Change Fee is \$100 Per Item, Plus 200% Option Cost<br><br>Special order or non-stocking parts that are purchased for any ordered option that is subsequently deleted will be charged for and shipped loose.  | 1   |
| <del>ZZ-ZZ-ZZZZ</del> |          | -  | 1   |
| 36-EO-0001            |          | -- <b>***END OF ORDER***</b>   | 1   |