

Key Largo Fire Rescue

Fire Department: 38061
 Companies: 24, 25
 Date Range: From 02/01/2013 to 02/28/2013
 Box/Zone/ Code: All
 District: All
 Situation Found: All
 Exclude Mutual Aids: No
 Exclude Exposures: No

Incident Run Log

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2013-000030-00	02/02/2013	12:22	104801 OVERSEAS		Rescue, EMS incident,	7
E25 AND S24 RESPONDED TO THE KEY LARGO ELEMENTARY SCHOOL TO ESTABLISH A HELISPOT FOR A MEDICAL EMERGENCY. E25 AND S24 RESPONDED FROM THEIR STATIONS. UPON ARRIVAL, S24 AND E25 SCANNED THE FIELD FOR DEBRIS AND REMOVED ANY HAZARDS. S24 AND E25 STOOD BY UNTIL MIAMI DADE FIRE RESCUE AIR RESCUE SOUTH LANDED. S24 ASSISTED RESCUE 23 IN TRANSFERRING THE PATIENT TO MIAMI DADE FIRE RESCUE PERSONNEL.						
2013-000033-00	02/01/2013	16:59	102 OVERSEAS		Motor vehicle accident	3
ENGINE 24 RESPONDED FROM THE 99MM. UPON ARRIVAL CREWS FOUND 1 BICYCLIST AMBULATORY COMPLAINING OF LT LEG PAIN CREWS CHECKED FOR INJURIES. NEGATIVE HAZARDS WERE FOUND. VEHICLE WAS UNDAMAGED. PATIENT CARE WAS TRANSFERRED OVER TO RESCUE 23. SCENE WAS TURNED OVER TO MC SO. E24 CLEARED SCENE.						
2013-000035-00	02/05/2013	09:22	101.4 OVERSEAS		EMS call, excluding vehicle	4
DISPATCHED TO MILE MARKER 101.4 TO A GREYHOUND BUS. E24 RESPONDED FROM THE STATION. UPON ARRIVAL, E24 FOUND A 24 YEAR OLD FEMALE SITTING INSIDE A BUS RECLINED BACK., FEMALE COMPLAINED FOR DIZZINESS AND A HEADACHE. E24 ASSESSED THE PATIENT AND RECORDED VITAL SIGNS. RESCUE 123 ARRIVED AND THE PATIENT WAS TRANSFERRED OVER TO THE PARAMEDICS WITH NO INCIDENT.						
2013-000036-00	02/05/2013	14:38	99001 OVERSEAS		Alarm system activation,	6
DISPATCHED TO FIRST BAPTIST CHURCH FOR A FIRE ALARM. E24 RESPONDED FROM MILE MARKER 1401. UPON ARRIVAL, E24 FOUND A SINGLE STORY CBS STRUCTURE. NO SMOKE OR FLAMES WERE VISIBLE. E24 INVESTIGATED AND SPOKE TO THE CHURCH EMPLOYEE. EMPLOYEE STATES THAT SHE WAS MAKING POPCORN FOR THE DAY CARE KIDS AND ACCIDENTALLY BURNED IT, CAUSING THE FIRE ALARM TO ACTIVATE.						
2013-000037-00	02/05/2013	22:11	374 BAHIA		Smoke detector activation,	11
DISPATCHED TO A SMOKE ALARM AT 374 BAHIA AVE. E24 RESPONDED FROM THE STATION. UPON ARRIVAL, E24 FOUND A TWO STORY CBS RESIDENTIAL STRUCTURE. NO SMOKE OR FLAMES WERE VISIBLE. E24 INVESTIGATED AND SPOKE WITH THE HOMEOWNER. HOMEOWNER STATES THAT THE ALARM WAS MALFUNCTIONING. HOMEOWNER CONTACTED THE TECHNICIAN TO REPAIR THE FIRE ALARM.						
2013-000038-00	02/08/2013	18:47	101 OVERSEAS		Motor vehicle accident	3
SQUAD 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS FOUND 2 VEHICLES WITH MINOR DAMAGE AND 1 NORTH BOUND LANE BLOCKED. CREWS CHECKED FOR HAZARDS AND DIRECTED TRAFFIC. CREWS REMOVED DEBRIS ON ROADWAY AND ASSISTED LEO WITH TRAFFIC CONTROL. CREWS REOPENED THE HIGHWAY AND TURNED SCENE OVER TO FHP. S24 CLEARED SCENE.						
2013-000039-00	02/08/2013	20:41	2 JUDY		Unauthorized burning	4
ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS FOUND A 2X2 ILLEGAL BURN IN THE YARD BEHIND THE CHARLIE SIDE OF THE TRAILER. CREWS MET WITH HOMEOWNER WHO ADVISED THAT HER CHILDREN HAD STARTED THE FIRE. CREWS EXTINGUISHED THE FIRE WITH 5 GALLONS OF COLD FIRE FOAM. HOMEOWNER AND CHILDREN WERE ADVISED OF THE BURN ORDINANCE AND EDUCATED. E24 SECURED HAZARDS AND CREWS CLEARED SCENE.						
2013-000044-00	02/02/2013	18:32	9 TRANSYLVANIA		Unauthorized burning	6
STATION 25 AND 24 WERE DISPATCHED TO 9 TRANSYLVANIA AVE FOR SMELL OF SMOKE. UPON ARRIVAL, E25 CREW FOUND A 2' X 2' BONFIRE. E25 CREW HAD THE HOME OWNER EXTINGUISH THE FIRE. HOMEOWNER WAS EDUCATED ABOUT THE BURN ORDINANCE.						
2013-000045-00	02/12/2013	14:34	1 EAST		EMS call, excluding vehicle	4
STATION 24 HAD A WALK UP. A 51 YEAR OLD FEMALE WAS COMPLAINING OF CHEST PAIN. STATION 24 ASSESSED THE PATIENT AND OBTAINED HER VITAL SIGNS. OXYGEN WAS GIVEN VIA NASAL CANNULA AT 2 LITER PER MINUTE. FEMALE PATIENT STATED SHE FELT BETTER AFTER THE OXYGEN WAS ADMINISTERED. THE PATIENT WAS TRANSFERRED OVER TO THE PARAMEDICS FROM RESCUE 23 UPON THEIR ARRIVAL.						
2013-000046-00	02/14/2013	20:16	100600 OVERSEAS		Motor vehicle accident	6
STATION 24 WAS DISPATCHED TO A MVA WITH INJURIES AT THE 100600 MM. E-25 AND S-24 RESPONDED FROM STATION 24. UPON ARRIVAL E-25 ESTABLISHED 101 COMMAND AND FOUND TWO VEHICLES OFF THE ROAD, NO ROAD BLOCK, BOTH VEHICLES WITH MODERATE DAMAGE, S-24, E-25 CAN HANDLE. ONE PT WAS TRAPPED IN HIS VEHICLE, MC SO ON SCENE REMOVED HIM FROM THE PASSENGER SIDE, NO HEAD, NECK OR BACK PAIN. KLFR UNITS CLEARED ALL HAZARDS, TERMINATED COMMAND AND WENT BACK IN SERVICE.						
2013-000047-00	02/06/2013	13:55	104801 OVERSEAS		False alarm or false call,	2
E-25 UPON ARRIVAL WAS CANCELED BY DISPATCHED PER ALARM COMPANY WITH PROPER CODE. E-25 INVESTIGATED CAUSE OF FIRE ALARM AND CONFIRMED IT WAS A FALSE ALARM DUE TO MAINTANCE ISSUES. ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000048-00	02/07/2013	19:20	106 905		Assist police or other	5
E-25 WAS DISPATCHED TO REEF DRIVE/ 905 TO CLOSE DOWN 905 NORTHBOUND TRAFFIC. E-25 CREW WENT AHEAD AND SET UP CONES TO CLOSE 905 NORTHBOUND TRAFFIC. AT 2200 DISPATCH ADVISED E-25 THAT IT WAS CLEAR TO REOPEN 905 NORTHBOUND LANE. E-25 WENT BACK IN SERVICE.						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attendin
2013-000049-00	02/17/2013	13:22	74 BOUNTY		Unauthorized burning	2
E-24 RESPONDED FROM STATION 25 TO AN CONTAINED ILLEGAL BURN, UPON ARRIVAL E-24 FOUND A CONTAINED 4X4 BRICK FIRE PIT WITH A MAN BURNING WOOD. E-24 CREW ADVISED LAND OWNER THAT IT IS AN ILLEGAL BURN AND HAS TO BE EXTINGUISHED. E-24 CREW ASSISTED IN EXTINGUISHMENT WITH A 2.5 GALLON WATER CAN. ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000050-00	02/17/2013	19:11	294 ST THOMAS		Unauthorized burning	4
STATION 24 WAS DISPATCHED TO AN ILLEGAL BURN ON ST THOMAS AVE. UPON ARRIVAL CHIEF-24 AND E-24 LOCATED FIRE AT 294 ST THOMAS AVE. CHIEF-24 MADE CONTACT WITH HOMEOWNER AND ADVISED IT WAS AN ILLEGAL BURN. HOMEOWNER EXTINGUISHED FIRE AND ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000051-00	02/17/2013	21:51	101691 OVERSEAS		Motor vehicle accident	8
STATION 24 WAS DISPATCHED TO A MVA AT THE 101.6 MM. UPON ARRIVAL S-24 FOUND THREE VEHICLES OFF THE ROAD IN FRONT OF HOBO'S RESTAURANT, ALL PT'S WERE OUT OF THEIR VEHICLES, ONE NORTHBOUND LANE BLOCK BY MCSO DUE TO DEBRIS, ONE VEHICLE WITH HEAVY DAMAGE, TWO VEHICLE MINOR DAMAGE, S-24 ESTABLISHED HOBO'S COMMAND. CHIEF-24 CONTROLLED TRAFFIC, S-24 AND E-25 CREW SECURED VEHICLES, CLEARED ALL HAZARDS AND REOPENED ROADWAY. COMMAND WAS TERMINATED AND ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000052-00	02/17/2013	16:19	34 BOUNTY	LAAK	Fire, other	3
STATION 24 WAS CONTACTED BY CHIEF-24 VIA PHONE TO RESPOND ROUTINE TO INVESTIGATE A POSSIBLE FIRE CAUSE (NO FIRE) UPON ARRIVAL CHIEF-24 AND E-24 CREW INVESTIGATED A SMALL CORNER OF AN OUTSIDE SECOND STORY BALCONY PARTIALLY BURNED APPROXIMATELY 12" LONG AND 4" DEEP. CREW NOTED THAT THERE WAS MAJOR PREVIOUS DAMAGE TO THE BALCONY, CRACKS AND HOLES THAT WEREN'T CAUSED BY ANY FIRE DAMAGED. UPON INVESTIGATION CHIEF-24 DETERMINED THE CAUSE OF THE FIRE IS UNDETERMINED AND ESTIMATED FIRE DAMAGE AT 50-100 DOLLARS. ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000053-00	02/18/2013	03:35	140 GUMBO LIMBO		Smoke detector activation	7
E-24 RESPONDED FROM STATION 24 TO A FIRE ALARM, SMOKE DETECTOR ACTIVATION MASTER BEDROOM. UPON ARRIVAL FOUND A SINGLE STORY, LIGHTWEIGHT CONSTRUCTION HOUSE WITH NOTHING SHOWING, INVESTIGATIVE MODE. UPON INVESTIGATION, CONFIRMED FALSE ALARM, CANCELED ALL IN COMING UNITS, NEG CONTACT WITH KEY HOLDER AND ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000055-00	02/04/2013	00:20	C5 CR905		Extrication of victim(s)	8
ENGINE 25 RESPONDED FROM STATION 25. UPON ARRIVAL CREWS FOUND ONE VEHICLE ROLLED ONTO ITS ROOF WITH 2 DECEASED INDIVIDUALS INSIDE. RESCUE 26 AND ENGINE 26 WERE ARRIVAL ON SCENE AND CALLED TIME OF DEATH ON THE PATIENTS. ACCIDENT WAS LEFT TO FHP FOR INVESTIGATION AND ENGINE 25 REMAINED ON SCENE TO EXTRICATE THE PATIENTS FROM UNDER THE VEHICLE. CREWS ASSISTED WITH TRAFFIC CONTROL.						
2013-000056-00	02/04/2013	18:30	106003 OVERSEAS		Cover assignment,	2
ENGINE 25 WAS REQUESTED TO STAND BY AT STATION FOR POSSIBLE SUICIDE ATTEMPT AT THE KEYS LAKE VILLAS. UPON RESCUE 23 ARRIVAL, PT WAS DOA. CREWS WERE RELEASED FROM STAND BY AND NOT NEEDED.						
2013-000057-00	02/10/2013	22:30	104801 OVERSEAS		Medical assist, assist EMS	9
ENGINE 25 RESPONDED FROM STATION 25. UPON ARRIVAL CREWS SET UP A SAFE AREA FOR THE ARRIVAL OF TRAUMA STAR REQUESTED BY RESCUE 23. CREWS SECURED HELISPOT AND ASSISTED RESCUE CREWS WITH PT TRANSPORT TO HELICOPTER. CREWS MARSHALED TRAUMA STAR OFF THE GROUND AND ALL UNITS CLEARED SCENE.						
2013-000058-00	02/18/2013	12:48	101900 OVERSEAS	BALCH	Motor vehicle accident	6
S24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS FOUND NO HAZARDS OR DEBRIS OR NO INJURIES. CREWS SECURED VEHICLE AND CONTROLLED TRAFFIC, VEHICLE HAD MODERATE DAMAGE ON DRIVER DOOR. TELEPHONE POLE WAS DAMAGED AND CREWS SECURED BOTH HAZARDS. SCENE WAS TURNED OVER TO FHP. UNITS CLEARED SCENE.						
2013-000059-00	02/18/2013	21:18	908 TOPAZ		Medical assist, assist EMS	4
ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS ASSISTED R23 WITH PT LIFTING AND PACKAGING. E24 PROVIDED A DRIVER DUE TO NO EMS PERSONNEL AVAILABLE. E24 CLEARED SCENE.						
2013-000060-00	02/19/2013	16:52	34 POINCIANA	CALVERT	Outside equipment fire	6
ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS FOUND NEGATIVE SMOKE OR FIRE FROM THE STRUCTURE. A SMELL OF BURNING WAS PRESENCE. E24 WENT AND INVESTIGATED FOUND THE HOMEOWNER ON DELTA SIDE OF THE STRUCTURE. THE BREAKER PANEL WAS FOUND TO BE THE SOURCE OF THE BURNING SMELL. CREWS USED THE LOCKOUT BOX TO TAG THE ELECTRICAL LINES THAT WERE BURNED AND SECURED ALL HAZARDS. HOMEOWNER CONTACTED HER ELECTRICIAN TO COME AND REPAIR THE PROBLEM. E24 SECURED SCENE AND TURNED IT OVER TO HOMEOWNER.						
2013-000061-00	02/22/2013	17:41	5 BLACKWATER		Medical assist, assist EMS	2
E-25 RESPONDED FROM STATION 25 FOR A MEDICAL ASSIST WITH FLORIDA KEYS AMBULANCE. UPON ARRIVAL E-25 ASSISTED FLORIDA KEYS AMBULANCE WITH PT. PACKAGING AND ASSISTED CREW WITH CARRYING PT. UP STAIRS AND INTO BEDROOM.						
2013-000062-00	02/23/2013	14:30	99621 OVERSEAS		Dumpster or other outside	5
STATION 24 AND 22 WERE DISPATCHED TO A FIRE IN A DUMPSTER BEHIND THE OLD BLOCK BUSTER AT THE 99.5 MM. UPON T-24 ARRIVAL FOUND SMALL FIRE WITH SMOKE SHOWING, CANCELED ALL IN COMING UNITS. T-24 USED BOOSTER LINE TO KNOCK FIRE. E-24 WAS RE DISPATCHED TO LOCATION FOR MANPOWER. UPON E-24 ARRIVAL USED FRONT JUMP LINE FOR EXTINGUISHMENT OF FIRE. APPROXIMATELY 1,500 GALLONS OF WATER, 20 GALLONS OF COLD FIRE AND DRY WALL HOOK WAS USED. E-24 CREW MITIGATED ALL HAZARDS, HOT SPOTS AND FIRE CAUSE WAS UNDETERMINED.						
2013-000063-00	02/23/2013	14:01	755 MUSA		Medical assist, assist EMS	5
E-24 RESPONDED FROM FIRST BAPTIST CHURCH TO ASSIST RESCUE 23 WITH A POSSIBLE TRAUMA ALERT. UPON ARRIVAL E-24 CREW ASSISTED WITH PT. PACKAGING, CONFIRMED TRAUMA ALERT AND PT. WAS TRANSPORTED TO KEY LARGO ELEMENTARY SCHOOL FOR A TRAUMA ALERT.						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2013-000064-00	02/23/2013	14:13	104801 OVERSEAS		Aircraft standby	7
KLFR UNITS RESPONDED TO KEY LARGO SCHOOL IN REFERENCE TO A TRAUMA ALERT/ HELISPOT. E-25 CREW SECURED THE LANDING ZONE CLEANING ALL DEBRIS. CHIEF-24 WAS IN COMMAND. TRAUMA STAR LAND AND DEPARTED HELISPOT, ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000065-00	02/23/2013	17:26	99 OVERSEAS		Motor vehicle accident	5
STATION 24 WAS DISPATCHED TO A MVA WITH INJURIES AT THE 99MM SOUTHBOUND. R-23 UPON ARRIVAL CANCELED ALL FIRE UNITS, NO HAZARDS. ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000066-00	02/23/2013	22:32	97000 OVERSEAS		Malicious, mischievous	4
STATION 24 WAS DISPATCHED TO A FIRE ALARM AT THE HILTON. UPON E-24 ARRIVAL HILTON STAFF MET CREW IN THE FRONT TO CONFIRM IT WAS A FALSE ALARM. THEY STATED A GUEST PULLED THE PULL STATION THEN RAN AWAY. E-24 CREW RESTORED SYSTEM AND ADVISED HILTON MANAGER THAT THEY NEED TO GET THE ALARM COMPANY TO COME SERVICE THE SYSTEM AND TO POST A BLUE PRINT OF THE BUILDINGS NEXT TO THE ALARM PANEL.						
2013-000067-00	02/24/2013	00:28	100600 OVERSEAS		Extrication of victim(s)	6
STATION 24 AND 25 WERE DISPATCHED TO A MVA WITH MULTIPLE INJURIES BY TOWER PIZZA SOUTHBOUND. UPON S-24 ARRIVAL FOUND TWO VEHICLES OFF THE ROAD WITH HEAVY DAMAGE, F-250 FLIPPED OVER WITH ONE PT. ENTRAPPED, BOTH SB LANES BLOCKED AND CHIEF-24 ESTABLISHED 100 MM COMMAND. S-24 AND E-25 SECURED VEHICLES THEN EXTRICATED FEMALE PT. BY REMOVING PASSENGER SIDE OF VEHICLE WITH SPREADERS AND CUTTERS. PT. WAS PACKAGED AND CARED WAS TRANSFERRED TO R-23. DEBRIS AND HAZARDS WERE REMOVED FROM ROADWAY, VEHICLES WERE TOWED, BOTH SOUTHBOUND LANES WERE REOPENED, COMMAND TERMINATED AND ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000069-00	02/25/2013	16:25	106 OVERSEAS		Motor vehicle accident	4
ENGINE 25 RESPONDED FROM STATION 25. UPON ARRIVAL CREWS FOUND A 2 VEHICLE MVA AND VEHICLE VS TELEPHONE POLE. NEGATIVE ROAD BLOCK AND NO INJURIES WERE FOUND. TELEPHONE WAS DOWN AND DISPATCH WAS ADVISED TO CONTACT TELEPHONE COMPANY. SCENE WAS SECURED AND VEHICLES. ENGINE 25 CREWS CLEARED SCENE.						
2013-000070-00	02/25/2013	17:36	907 TROPICAL		False alarm or false call,	4
ENGINE 25 RESPONDED FROM STATION 25. UPON ARRIVAL ENGINE 25 CREWS WERE CANCELED BY BC 24 WHO ADVISED IT WAS A CONFIRMED FALSE ALARM. ALL UNITS WENT IN SERVICE.						
2013-000076-00	02/02/2013	16:09	970000 OVERSEAS	GORSKI	Motor vehicle accident	2
S24 WAS DISPATCHED TO MILE MARKER 97 FOR A MVA. S24 RESPONDED FORM THE STATION. UPON ARRIVAL, S24 FOUND A SINGLE MOTOR VEHICLE ACCIDENT IN THE TREES. NO ROAD BLOCKS, NO IMMEDIATE HAZARDS FOUND. S24 INVESTIGATED AND STOOD BY UNTIL THE TOW TRUCK ARRIVED.						
2013-000077-00	02/09/2013	19:58	C-6 STATE ROAD 905		Brush or brush-and-grass	5
E25 WAS DISPATCHED TO A BRUSH FIRE ON STATE ROAD 905. UPON ARRIVAL, E25 FOUND A SMALL 5 X 5 BRUSH FIRE SMOLDERING. CREW FORM E25 EXTINGUISHED THE FIRE WITH APPROXIMATELY 200 GALLONS OF FUEL.						
2013-000093-00	02/13/2013	13:28	103000 OVERSEAS	ALEMAN	Vehicle accident, general	4
E25 ASSISTED DEPUTY CHIEF BEAL IN TRAFFIC CONTROL AND CLEAN UP. UPON COMPLETION. E25 CLEARED THE SCENE AVAILABLE FOR CALL.						
2013-000094-00	02/13/2013	21:04	21 GARDEN COVE		EMS call, excluding vehicle	4
E25 RESPONDED TO BUZZARDS ROOST PARKING LOT TO FIND A 32 YEAR OLD MALE LAYING SUPINE ON THE GROUND IN THE PARKING LOT. E25 PERFORMED A HEAD TO TOE ASSESSMENT AND FOUND A LACERATION TO THE LOWER LEFT EXTREMITY. E25 TREATED THE WOUND AND PERFORMED VITAL SIGNS. C-SPINE IMMOBILIZATION AND BACK BOARD WAS PERFORMED. UPON RESCUE 23 ARRIVAL, PATIENT CARE WAS TRANSFERRED WITHOUT INCIDENT.						
2013-000095-00	02/21/2013	15:04	470 BARRACUDA		Alarm system activation,	3
E25 RESPONDED FROM THE STATION TO A FIRE ALARM. UPON ARRIVAL, E25 FOUND A TWO STORY STRUCTURE WITH NOTHING SHOWING. E25 INVESTIGATED AND FOUND POSSIBLE SIGNS OF A BREAK IN. BC24 NOTIFIED LAW ENFORCEMENT. LAW ENFORCEMENT INVESTIGATED AND THE SCENE WAS CODE 5.						
2013-000096-00	02/21/2013	15:54	306 NORTH		Wrong location	2
E25 WAS DISPATCHED TO A MEDICAL EMERGENCY AT 306 NORTH DRIVE. ENGINE ARRIVED AT NORTH DRIVE AND ADVISED DISPATCHED THAT THE ADDRESS WAS WRONG. AFTER INVESTIGATING, DISPATCH ACCIDENTAL TONED THE WRONG DEPARTMENT. THE ADDRESS WAS LOCATED IN ISLAMORADA.						
2013-000101-00	02/28/2013	12:45	102411 OVERSEAS		Building fire	13
ENGINE 24 RESPONDED FROM STATION 24. REPORT OF SMOKE IN BUILDING. UPON ARRIVAL CREWS FOUND FLAMES AND SMOKE ON DELTA SIDE OF STRUCTURE NEAR ELECTRICAL PANEL. E25 ARRIVED AND STAGED ON THE DELTA SIDE NEXT TO THE FISH HOUSE RESTAURANT. E25 CREWS WERE ASSIGNED TO PULL THE FRONT JUMP LINE AND FLOW WATER TO FIRE AREA. 2ND CREW FROM E25 LADDERED THE STRUCTURE. E24 CREWS ARRIVED AND WERE ASSIGNED TO CHARLIE SIDE. E24 CREWS MADE ENTRY THOROUGH THE BRAVO SIDE AND CHECKED FOR EXTENSATIONS. L25 STAGED ON THE BRAVO/CHARLIE SIDE AND LADDERED THE STRUCTURE. AFTER EXTINGUISHMENT OF FIRE CREWS INVESTIGATED CAUSE OF FIRE. CREWS FOUND A VOID SPACE ON DELTA SIDE AND FOUND A CHARRED WOOD PIECE THAT HAD STARTED THE FIRE. MONROE COUNTY FIRE MARSHAL WAS DISPATCHED TO SCENE AND ONCE ARRIVE DISCOVERED MULTIPLE VIOLATIONS. PER FM2 THERE WERE EXIT ROUTES BLOCKED, IMPROPER STORAGE OF STOCK AND NO EMERGENCY EXIT LIGHTING. FIRE MARSHAL CONCLUDED THAT IT WAS AN ELECTRICAL PROBLEM THAT CAUSED FIRE. STORE MANAGER WAS ADVISED TO FIX VIOLATIONS AND ELECTRICAL PROBLEM BEFORE REOPENING BUSINESS AGAIN.						

Total Incidents: 39

