

Key Largo Fire Rescue

Fire Department: 38061
Companies: 24, 25
Date Range: From 03/01/2013 to 04/01/2013
Box/Zone/ Code: All
District: All
Situation Found: All
Exclude Mutual Aids: No
Exclude Exposures: No

Incident Run Log

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
2013-000068-00	03/01/2013	15:38	102.53 OVERSEAS		Motor vehicle accident	5
S-24 RESPONDED FROM STATION 24 TO A MVA AT THE 102.5 MM. S-24 WAS CANCELED EN ROUTE PER R-23, NO INJURIES, NO HAZARDS AND ALL KLFR UNITS WENT BACK IN SERVICE.						
2013-000071-00	03/02/2013	17:39	4 CORAL		Unauthorized burning	4
ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL FIRE WAS OUT AND CREWS MET WITH HOMEOWNER WHO ADVISED THAT HIS CHILDREN HAD STARTED A SMALL BOND FIRE USING WOOD FROM THE NEAR BY WOODS. HE ADVISED HE DID NOT KNOW THAT IT WAS ILLEGAL TO DO SO. E24 CREWS ADVISED THE HOMEOWNER OF THE DISTRICT ORDINANCE AND SECURED SCENE. E24 WENT IN SERVICE.						
2013-000072-00	03/04/2013	03:51	140 GUMBOLIMBO		False alarm or false call,	6
ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS INVESTIGATED STRUCTURE AND FOUND NO HAZARDS OR SMOKE. NEGATIVE KEY HOLDER TO ENTER HOME. HOME WAS COMPLETELY LOCKED AND SECURED. E24 CREWS CLEARED SCENE.						
2013-000073-00	03/04/2013	06:46	13 BELMONT		Dispatched & canceled en	3
ENGINE 24 RESPONDED FROM STATION 24. WHILE EN ROUTE TO ASSIST RESCUE 23 CREW WITH A MEDICAL CALL THEY ADVISED THE E24 CAN CANCEL THE RESPONSE. E24 RETURNED TO STATION.						
2013-000074-00	03/04/2013	16:21	99451 OVERSEAS		Motor vehicle accident	3
SQUAD 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS FOUND TWO VEHICLES WITH MODERATE DAMAGE. PT FROM VEHICLE ONE WAS AMBULATORY AND PT FROM VEHICLE TWO HAD NECK PAIN. DRIVER FROM VEHICLE TWO WAS EXTRICATED AND CARE WAS GIVEN BY RESCUE 23 CREW. NO HAZARDS OR AIRBAG DEPLOYED. VEHICLES WERE SECURED AND SCENE TURNED OVER TO FHP.						
2013-000078-00	03/08/2013	19:47	1536 SHAW		Alarm system activation,	4
E25 WAS DISPATCHED FORM STATION 25 TO RESPOND TO A FIRE ALARM. WHILE RESPONDING, E25 WAS CANCELED BY DISPATCH. E25 CONTINUED ROUTINE TO INVESTIGATE. UPON ARRIVAL, E25 INVESTIGATED AND THE SCENE WAS CODE 5.						
2013-000079-00	03/09/2013	10:24	103800 OVERSEAS		False alarm or false call,	9
ENGINE 24 RESPONDED FROM THE 101 MILE MARKER. UPON ARRIVAL NOTHING SHOWING, CREWS INVESTIGATED FIRE ALARM. CREWS CHECKED ALARM PANEL AND FOUND PANEL WAS RESET PRIOR TO UNITS ARRIVAL. LT 24 MET WITH RESORT ENGINEER AND CHECKED MAIN BUILDING AND CONFERENCE BUILDING WITH NO ALARMS INDICATING PROBLEMS. RESORT ENGINEER WAS ADVISED TO CONTACT ALARM TECHNICIAN TO TROUBLE SHOT PROBLEM. SCENE WAS SECURED AND ALL UNITS CLEARED SCENE.						
2013-000080-00	03/09/2013	11:08	C1 CR905		Rescue, EMS incident,	3
ENGINE 25 RESPONDED FROM THE 104 MILE MARKER. UPON ARRIVAL CREWS MADE ENTRY INTO THE PARK AND SEARCHED FOR PATIENT WITH THE MEDICAL EMERGENCY. RESCUE 23 CREWS ARRIVED AND PATIENT CARE WAS TURNED OVER. E25 CREWS ASSISTED WITH PATIENT PACKAGING. R23 RELEASED E25 CREW AND CLEARED SCENE.						
2013-000102-00	03/11/2013	00:31	100 OVERSEAS		Motor vehicle accident	11
ENGINE 24 RESPONDED FROM STATION 24. WHILE EN ROUTE TO SEARCH FOR REPORTS OF A MISSING 2 YEAR OLD CHILD, DISPATCHED ADVISED THAT A VEHICLE HAD STRUCK CHILD ON US1 AND SUNSET BLVD IN FRONT OF SHELL GAS STATION SOUTH BOUND LANE. BC24 AND E24 CREWS ARRIVED AND BEGAN CPR EFFORTS. RESCUE 23 CREWS RESPONDED AND ARRIVED MOMENTS AFTER AND PATIENT CARE WAS TRANSFERRED OVER. RESCUE 23 AND E24 CREWS LOADED PT INTO AMBULANCE AND TRANSPORTED TO MARINERS HOSPITAL. LT24 TRANSPORTED FAMILY TO MARINERS HOSPITAL. E25 CREW ARRIVED SECURED ROADWAY AND DIVERTED TRAFFIC ONTO SUNSET BLVD. CREWS SHUT DOWN THE HIGHWAY WITH FHP FOR THEIR INVESTIGATION. UNITS REMAINED ON SCENE UNTIL FHP RELEASED CREWS.						
2013-000081-00	03/11/2013	10:58	101485 OVERSEAS		Medical assist, assist EMS	4
ENGINE 25 RESPONDED FROM 101 MILE MARKER. UPON ARRIVAL CREWS CHECKED VITAL SIGNS AND PT CONDITION. CREWS PROVIDED OXYGEN 2LPM VIA NASAL CANNULA. E24 CREWS GAVE REPORT TO RESCUE 23 AND TRANSFERRED PT. CARE. E24 CREWS ASSISTED WITH PT PACKAGING AND CLEARED SCENE.						
2013-000082-00	03/11/2013	12:23	1 EAST		Rescue, EMS incident,	4
STATION 24 HAD A WALK UP. CREWS ANSWER DOOR AND FOUND A WHITE MALE COMPLAINING OF DIZZINESS AND WEAKNESS. CREWS CHECKED VITAL SIGNS AND TONED OUT RESCUE 23 TO COME AND EVALUATE PATIENT. UPON ARRIVAL RESCUE 23 ARRIVAL PATIENT CARE WAS TRANSFERRED. STATION 24 CREW WAS RELEASED.						
2013-000083-00	03/11/2013	15:56	199 ATLANTIC		False alarm or false call,	4
ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL NOTHING SHOWING. CREWS INVESTIGATED AND MET WITH HOMEOWNER WHO ADVISED THAT IT WAS A FALSE ALARM. SHE STATES SHE WAS COOKING AND THE SMOKE FROM THE OVEN ACTIVATED FIRE ALARM. E24 SECURED SCENE AND CLEARED THE CALL.						
2013-000104-00	03/11/2013	17:52	99751 OVERSEAS	HORGAN (MAINTANACE	Outside equipment fire	9
ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL NOTHING SHOWING, HOTEL GUEST EVACUATED AND THEIR WAS AN AUDIO ALARM PRESENT. LT24 ESTABLISHED COMMAND. E24 CREWS WERE SENT IN TO INVESTIGATE SMOKE COMING FROM THIRD						

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
					FLOOR ROOF. ALARM WAS SILENCED AND CREWS MET WITH MAINTINCE WHO ADVISED AN A.C UNIT ON ROOF WAS ARCING AND CAUSING THE SMOKE IN BUILDING. CREWS QUICKLY EXTINGUISHED FIRE AND SHUT DOWN POWER TO A/C UNIT. E25 CREWS WERE SENT IN TO VENTILATE THIRD FLOOR HALLWAY AND STAIRWELLS. BC24 INVESTIGATED OUTSIDE OF BUILDING AND NO ADDITIONAL HAZARDS WERE FOUND. CREWS SECURED A/C UNIT AND TURNED OVER SCENE TO HOTEL ELECTRICIAN. ALARM WAS RESET, COMMAND WAS TERMINATED AND ALL UNITS CLEARED SCENE.	
2013-000084-00	03/12/2013	13:50	102601 OVERSEAS		Medical assist, assist EMS	5
					E-25 RESPONDED FROM STATION 24 TO ASSIST R-23 AT PENNEKAMP STATE PARK FOR A POSSIBLE HEART ATTACK. UPON ARRIVAL E-25 CREW ASSISTED R-23 WITH PT CARE. R-23 CREW CONFIRMED IT WAS A SIGNAL 7 AND ALL KLFR UNITS WENT BACK IN SERVICE.	
2013-000086-00	03/12/2013	15:23	97000 OVERSEAS		Watercraft rescue	5
					STATION 24 WAS DISPATCHED TO A JET SKI ACCIDENT AT THE HILTON HOTEL. UPON ARRIVAL BC-24 INVESTIGATED AND STAGED S-24 ON OVERSEAS HWY. BC-24 CLEARED S-24 AND WENT BACK IN SERVICE.	
2013-000085-00	03/12/2013	15:34	812 LARGO		Heat from short circuit	10
					E-25 RESPONDED TO 812 LARGO ROAD FOR A REPORT OF A FIRE. UPON ARRIVAL NOTHING SHOWING, INVESTIGATIVE MODE. AFTER INVESTIGATION CREW FOUND THAT A SURGE PROTECTOR OUTLET CAUGHT FIRE AND SHORTED THE WIRES. ONE CHILD HAD MINOR ELECTRICAL BURNS AND R-23 WAS DISPATCHED FOR CARE. CODE ENFORCEMENT WAS NOTIFIED.	
2013-000087-00	03/12/2013	18:01	759 MUSA		Power line down	7
					E-24 RESPONDED FROM STATION 24 TO A DOWN POWER LINE AT 759 MUSA DRIVE. UPON ARRIVAL CHIEF 24 AND E-24 FOUND A LARGE TREE ON THE GROUND, TREE KNOCKED DOWN A RESIDENTIAL DROP LINE THAT WAS STILL LIVE. CO-OP WAS DISPATCHED AND E-24 SECURED A PERIMETER UNTIL CO-OP ARRIVED. SCENE WAS TURNED OVER TO CO-OP AND ALL KLFR UNITS WENT BACK IN SERVICE.	
2013-000088-00	03/13/2013	00:24	97.2 OVERSEAS		Motor vehicle accident	6
					STATION 24 WAS DISPATCHED TO A MVA WITH NO INJURIES AT THE 97.2 MM. UPON ARRIVAL CHIEF 24 ESTABLISHED COMMAND, S-24 CREW SECURED VEHICLE, REMOVED ALL HAZARDS AND VEHICLE WAS REMOVED OUT OF THE TREES. NO ROAD BLOCK AND ALL KLFR UNITS WENT BACK IN SERVICE.	
2013-000091-00	03/13/2013	14:48	57 BLUE RUNNER		Medical assist, assist EMS	3
					E-24 UPON ARRIVAL FOUND A 66 Y/O MALE LAYING ON THE GRASS FEELING WEAK. E-24 RETAINED BASELINE VITALS AND PT WAS TRANSFERRED TO R-23. BACK IN SERVICE.	
2013-000089-00	03/13/2013	14:50	51 MUTINY		Police matter	4
					STATION 24 RESPONDED TO A SUICIDE THREAT, R-22 WAS ALSO EN ROUTE. PER DEPUTY'S ON SCENE BOTH UNITS STAGED ACROSS THE STREET. R-22 AND S-24 WERE CANCELED PER DEPUTY'S AND BACK IN SERVICE.	
2013-000090-00	03/13/2013	15:04	527 CARIBBEAN		Motor vehicle/pedestrian	3
					E-25 WAS DISPATCHED TO REPORT OF A MVA IN PARKING LOT OF MARINA DEL MAR. E-25 RESPONDED FROM THE 99MM. UPON ARRIVAL E-25 DISCOVERED MVA WAS VEHICLE VS PEDESTRIAN. E-25 PERFORMED INITIAL PATENT SURVEY AND BACK BOARDED PATIENT. PATIENT HAD NO NECK PAIN JUST BACK PAIN. PATIENT CARE WAS TRANSFERRED TO R-123.	
2013-000092-00	03/13/2013	15:25	101 OVERSEAS		Smoke scare, odor of	6
					KLFR WAS DISPATCHED TO A SMELL OF SMOKE IN THE AREA. E-24 AND E-25 UPON ARRIVAL IN THE AREA OF THE 101MM FOUND NO SMOKE, INVESTIGATED AREA AND THE CALL WAS UNFOUNDED.	
2013-000105-00	03/18/2013	18:25	99246 OVERSEAS		Smoke from barbecue, tar	4
					ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL CREWS FOUND A BBQ SMOKER IN FRONT OF RESTAURANT WITH SMOKE COMING FROM THE TOP. CREWS MET WITH OWNER WHO ADVISED THAT HE WAS JUST COOKING AND THE WIND DIRECTION CARRIED THE SMOKE TO THE BUSINESS NEXT TO THE RESTAURANT. CREWS ADVISED OWNER TO TRY AND RELOCATE THE SMOKER TO NOT CAUSE A HAZARD TO HIS NEIGHBORS. OWNER AGREED AND WILL MOVE BBQ. E24 CREWS CLEARED SCENE.	
2013-000106-00	03/18/2013	19:04	109 OVERSEAS		Motor vehicle accident	10
					ENGINE 25 RESPONDED FROM STATION 25. UPON ARRIVAL CREWS FOUND A VEHICLE ON ITS ROOF WITH HAZARDS AND AIR BAGS DEPLOYED. NORTHBOUND LANE WAS CLOSED DUE TO VEHICLE ON ROOF. S24 AND WR25 HAD ROAD BLOCKED TO NORTH BOUND US1 AND DIVERTED TRAFFIC ONTO CR 905. PT FROM VEHICLE WAS NOT TRAPPED BUT WAS DISORIENTED AND COMBATIVE. E25 PROVIDED BLS FOR THE PATIENT UNTIL RESCUE 23 ARRIVED. E25 CREWS ASSISTED R23 WITH SECURING PATIENT ONTO BACKBOARD. CREWS CONTROLLED TRAFFIC AND CLEANED HAZARDS. SCENE WAS TURNED OVER TO FHP ROADWAY WAS REOPENED. ALL UNITS CLEARED SCENE.	
2013-000107-00	03/19/2013	00:59	112 OVERSEAS	GRAYSON	Motor vehicle accident	5
					ENGINE 25 RESPONDED FROM STATION 25. UPON ARRIVAL CREWS FOUND ONE VEHICLE OFF SIDE OF THE HIGHWAY. NO HAZARDS WERE FOUND. BOTH PATIENTS HAD NO INJURIES. VEHICLE WAS SECURED BY THE FENCE. SCENE WAS SECURED AND TURNED OVER TO FHP. UNITS CLEARED SCENE.	
2013-000108-00	03/19/2013	02:41	97000 OVERSEAS		Smoke detector activation	5
					ENGINE 24 RESPONDED FROM STATION 24. UPON ARRIVAL NOTHING SHOWING. CREWS INVESTIGATED AND FOUND FIRE ALARM PANEL HAD BEEN RESTED. CREWS OPERATED ALARM PANEL HISTORY AND FOUND MULTIPLE TROUBLE SIGNALS. CREWS CHECKED THIRD FLOOR SMOKE DETECTORS AND FOUND ALL DETECTORS COVER WITH PLASTIC BAGS TO AVOID ALARM GOING OFF WHILE THE HOTEL CREWS CLEANS THE FLOOR. E24 CREWS ADVISED HOTEL CREWS OF VIOLATION AND TO REMOVE PLASTIC COVERINGS. CREWS ALSO FOUND PULL STATION ON FIRST FLOOR SHOWING TROUBLE ON PANEL AS WELL AS THE A/C SHUT OFF SENSOR. E24 CREWS ADVISED FRONT DESK MANAGER TO CONTACT ALARM TECHNICIAN ASAP TO FIX PROBLEMS. CREWS SECURED SCENE AND WENT IN SERVICE. LT24 CONTACTED CAPT.24 AND BC-24 TO DISCUSS FINDINGS TO BE FOLLOWED UP BY COUNTY FIRE MARSHAL.	
2013-000098-00	03/21/2013	12:19	102601 OVERSEAS		Watercraft rescue	13
					STATION 24, 25, AND 23 WERE DISPATCHED TO A VESSEL ACCIDENT INVOLVING A FWC OFFICER, NEAR JOHN PENNEKAMP. S-24, E-	

Incident#	Date	Time	Address	Apt#	Situation Found	Number Attending
<p>25 RESPONDED FROM STATION 24, E-25 RESPONDED TO STATION 25 TO GET WR-25 BUT WAS CANCELED. S-24 ARRIVED ON SCENE AND BOARDED A FWC BOAT WITH R-23 CREW TO RESPOND TO THE OFFICER IN THE WATER. UPON ARRIVAL TO THE OFFICER, CREWS BACK BOARDED/STABILIZED THE OFFICER IN THE WATER, PUT HIM IN THE BOAT AND TRANSPORTED HIM BACK TO THE DOCK WHERE HE WAS TRANSPORTED BY R-23 TO THE RANGER STATION FOR A TRAUMA ALERT. OFFICER WAS AIR LIFTED BY TRAUMA STAR.</p>						
2013-000097-00	03/22/2013	13:24	104 MANGROVE		Building fire	4
<p>E-24 DISPATCHED FROM STATION 24 TO A STRUCTURE FIRE AT 104 MANGROVE LANE IN TAVERNER TO ASSIST E-22. E-25 WAS DIRECTED TO PICK UP TANKER 24 BUT WAS CANCELED EN ROUTE BY COMMAND. E-24 UPON ARRIVAL ASSISTED TAVERNER CREWS WITH EXTINGUISHMENT UNDERNEATH STRUCTURE AND CHECKED FOR HOT SPOTS INTERIOR. NEGATIVE HOT SPOTS WERE FOUND AND CREWS EXITED THE STRUCTURE TO REHAB. E-24 CREW THEN VENTILATED THE STRUCTURE WITH POSITIVE PRESSURE VENTILATION, RECHECKED FOR HOT SPOTS. NEG HOT SPOTS AND E-24 WAS PLACED BACK IN SERVICE BY COMMAND.</p>						
2013-000100-00	03/23/2013	02:20	402 BOWIE		Smoke detector activation,	6
<p>STATION 24 WAS DISPATCHED TO A SMOKE ALARM ACTIVATION WITH NO FIRE, E-24 RESPONDED ROUTINE. UPON ARRIVAL THEIR WAS NO HAZARDS, SMOKE DETECTOR WAS CLEAN BY CREW, BATTERY REPLACED AND RESET. E-24 WENT BACK IN SERVICE.</p>						
2013-000099-00	03/23/2013	12:20	97652 OVERSEAS		Smoke detector activation,	7
<p>E-24 WAS DISPATCHED TO A FIRE ALARM/ NO FIRE JUST HOMEOWNER COULDN'T SHUT OFF HER SMOKE DETECTOR. UPON ARRIVAL AT ROCK HARBOR E-24 CREW INVESTIGATED AND FOUND HER BATTERY OPERATED SMOKE DETECTOR HAD A DYING BATTERY. E-24 CREW SUPPLIED AND INSTALLED A NEW BATTERY AND ALL KLFR UNITS WENT BACK IN SERVICE.</p>						
2013-000103-00	03/24/2013	14:17	106500 OVERSEAS		Grass fire	2
<p>E25 RESPONDED FROM THE STATION TO THE CIRCLE K ACROSS FROM STATION 25 FOR A GRASS FIRE. UPON ARRIVAL, E25 CREW FOUND A 4 X 4 BRUSH FIRE. E25 CREW EXTINGUISHED THE FIRE WITH THE WATER EXTINGUISHER. E25 COMMENCED WITH MOP UP.</p>						
2013-000109-00	03/25/2013	07:22	102601 OVERSEAS		Motor vehicle accident	11
<p>KLFR WAS DISPATCHED IS A MVA WITH INJURIES AND ENTRAPMENT AT THE 102MM IN FRONT OF JOHN PENNEKAMP. UPON S-24 ARRIVAL, FOUND ONE VEHICLE IN THE MEDIAN VS A SMALL TREE, VEHICLE ON ITS PASSENGER SIDE, HEAVY FRONT DAMAGE, TWO PT ENTRAPPED WITH INJURIES NO ROAD BLOCK. S-24 ESTABLISHED 102 COMMAND, BLOCKED ONE NB AND ONE SB LANE, HAD E-24 RESPOND ROUTINE FOR TRAFFIC CONTROL, SWITCHED ALL INCOMING UNITS TO UPPER KEYS TAC. R-22 WAS DISPATCHED FOR MUTUAL AID. E-25 AND S-24 CREW EXTRICATED PTS OUT. ALL HAZARDS WERE CLEARED, SCENE WAS TURNED OVER TO FHP AND ALL KLFR UNITS WENT BACK IN SERVICE.</p>						
CAD NOTES ATTACHED						
2013-000110-00	03/25/2013	17:28	105.2 OVERSEAS		Gasoline or other	3
<p>UPON ARRIVAL E-25 FOUND A AUDI S-7 LEAKING GAS FROM UNDER THE VEHICLE. E-25 CREW USED ABSORBENT TO CONFINE THE SPILL. ALL FUEL WAS MITIGATED AND A TOW TRUCK WAS USED TO REMOVE THE VEHICLE. E-25 BACK IN SERVICE.</p>						
2013-000111-00	03/28/2013	17:19	99.5 OVERSEAS		Motor vehicle accident	5
<p>S-24 RESPONDED TO THE 99.5MM FOR A MVA. UPON ARRIVAL TWO VEHICLES WERE OFF THE ROAD, NEG HAZARDS, NO ROAD BLOCK, MILD TO MODERATE DAMAGE. CREW CUT BATTERY AND SECURED CAR. SCENE WAS TURNED OVER TO FHP AND S-24 WENT BACK IN SERVICE.</p>						
2013-000112-00	03/29/2013	12:41	95510 OVERSEAS		Unauthorized burning	12
<p>STATION 24 WAS DISPATCHED TO THE AREA OF THE 95.5MM BY POPS MOTEL FOR A FIRE BEING SEEN ON LAND FROM A BOAT. UPON ARRIVAL E-24 INVESTIGATED AND FOUND NO FIRE AT POPS MOTEL, THE FIRE WAS DISCOVERED IN THE REAR OF THE PROPERTY OF 95510 OVERSEAS HWY. LT-24 FOUND A 8x8 ILLEGAL BURN. HOMEOWNER STATED THAT SHE DIDN'T KNOW THAT HER MAINTENANCE GUY WAS BURNING THE WOOD. FIRE WAS EXTINGUISHED BY KLFR WITH A GARDEN HOSE AND HOMEOWNER WAS ADVISED THAT IT IS AN ILLEGAL BURN. ALL KLFR UNITS WENT BACK IN SERVICE.</p>						
2013-000113-00	03/30/2013	14:45	51 GARDEN COVE		Medical assist, assist EMS	2
<p>E-25 RESPONDED TO CAPT. STATES TO ASSIST WITH A DIVE ACCIDENT. UPON ARRIVAL E-24 CREW ASSISTED R-23 WITH PT TRANSPORT FROM THE BOAT TO THEIR STRETCHER. E-25 WENT BACK IN SERVICE.</p>						
2013-000114-00	03/30/2013	17:30	101 OVERSEAS		Motor vehicle accident	8
<p>S-24 RESPONDED TO THE 101MM, TARPON BASIN DR FOR AN MVA W/ INJURIES. S-24 RESPONDED FROM STATION 24, UPON ARRIVAL BC-24 ESTABLISHED TARPON BASIN COMMAND. IC ADVISED S-24 TO BLOCK OFF TARPON BASIN DRIVE AND PROVIDE CARE TO VEHICLE NUMBER 1 (SEQUOIA). S-24 SECURED THE CAR, PACKAGED BOTH PTS WITH C-COLLAR AND BACKBOARD AND TRANSFERRED CARE TO R-23 CREW. E-25 TOOK CARE OF VEHICLE NUMBER 2, THEY ASSISTED WITH PT. REMOVAL AND TRANSFER TO R-123. KLFR UNITS THEN REMOVED ALL HAZARDS, CONTROLLED TRAFFIC AND WENT BACK IN SERVICE, COMMAND WAS TERMINATED.</p>						
Total Incidents: 37						